


CITY12 RGB3in1

SL-WW-C12-RGB

Report No:	Voltage(V): 24.200
Test No:	Current(A): 0.805
LampCAT: :	Power (W): 19.500
Lamp flux(lm): -1.0	PF: 1.000
Number of Lamps: 0	Ballast type:
Length(mm): 0	Width(mm): 0
Phm Type: C	Height(mm): 0

Photometric Results

Lumens(lm): 365.32
Efficiency(%): 0.00%
Lumens(lm)/Power(W): 18.73
Central intensity(cd): 520.834
Maximum intensity(cd): 568.996
Angle of maximum intensity: C=45.0 γ =0.0
Beam Angle(50%Imax): [H]Left=15.9 Right=17.8
[V]Left=15.2 Right=16.7
Field angle(10%Imax): [H]Left=43.0 Right=45.5
[V]Left=43.0 Right=44.6
IES Classification : TypeI
Longitudinal Classification : VeryShort
Cut Off Classification : FullCutoff
Max Cd(At 90°Vert) : 0.2032128
Max Cd(80 to 90°Vert) : 7.010841
Street Side UpWard Lumens: - -of Lamp 0.00%of Luminaire
Street Side DownWard Lumens: - -of lamp 52.58%of Luminaire
House Side UpWard Lumens: - -of lamp 0.00%of Luminaire
House Side DownWard Lumens: - -of lamp 47.42%of Luminaire



C45(Max): —————
C0/C180: —————
C90/C270: —————

