


GAVI3 WW

SL-IO-GA3-WW	Luminaire:
Report No:	Voltage(V): 24.000
Test No:	Current(A): 1.498
LampCAT: : name	Power (W): 36.000
Lamp flux(lm): -1.0	PF: 1.000
Number of Lamps: 1	Ballast type:
Length(mm): 0	Width(mm): 0
Phm Type: C	Height(mm): 0

Photometric Results

Lumens(lm): 1927.34
Efficiency(%): 0.00%
Lumens(lm)/Power(W): 53.54
Central intensity(cd): 11760.830
Maximum intensity(cd): 11816.400
Angle of maximum intensity: C=45.0 γ =5.0
Beam Angle(50%Imax): [H]Left=10.8 Right=9.3
[V]Left=8.8 Right=10.5
Field angle(10%Imax): [H]Left=20.1 Right=17.8
[V]Left=17.2 Right=19.9
IES Classification : TypeI
Longitudinal Classification : VeryShort
Cut Off Classification : FullCutoff
Max Cd(At 90°Vert) : 0.524288
Max Cd(80 to 90°Vert) : 2.62144
Street Side UpWard Lumens: - -of Lamp 0.00%of Luminaire
Street Side DownWard Lumens: - -of lamp 56.05%of Luminaire
House Side UpWard Lumens: - -of lamp 0.00%of Luminaire
House Side DownWard Lumens: - -of lamp 43.95%of Luminaire



C45(Max): —————
C0/C180: —————
C90/C270: —————

