


VICTORIA RGB

SL-WW-VI12-RGB

Report No:	Voltage(V): 24.000
Test No:	Current(A): 1.450
LampCAT: :	Power (W): 34.000
Lamp flux(lm): -1.0	PF: 1.000
Number of Lamps: 0	Ballast type:
Length(mm): 0	Width(mm): 0
Phm Type: C	Height(mm): 0

Photometric Results

Lumens(lm): 703.95
Efficiency(%): 0.00%
Lumens(lm)/Power(W): 20.70
Central intensity(cd): 2276.796
Maximum intensity(cd): 2381.451
Angle of maximum intensity: C=45.0 γ =0.0
Beam Angle(50%Imax): [H]Left=15.5 Right=11.3
[V]Left=12.9 Right=13.6
Field angle(10%Imax): [H]Left=29.7 Right=25.0
[V]Left=28.0 Right=27.2
IES Classification : TypeI
Longitudinal Classification : VeryShort
Cut Off Classification : FullCutoff
Max Cd(At 90°Vert) : 0
Max Cd(80 to 90°Vert) : 1.11767
Street Side UpWard Lumens: - -of Lamp 0.00%of Luminaire
Street Side DownWard Lumens: - -of lamp 45.01%of Luminaire
House Side UpWard Lumens: - -of lamp 0.00%of Luminaire
House Side DownWard Lumens: - -of lamp 54.99%of Luminaire



C45(Max): —————

C0/C180: —————

C90/C270: —————

